

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	"System and method of geolocating a response to a query initiated by an individual from an information site".ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 08:29
S2	2	("20030088556").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/24 10:28
S3	10	(@AD<"20020805" or @RLAD<"20020805") and (client with (transfer\$4 or submit\$4 or transmit\$4) adj5 (document or page or file) adj10 server) same (server with (provid\$3 or respon\$4 or pars\$3 or receiv\$3) with (document or page or file) with (geolocat\$3 or geographic or geographical or address or longitut\$3 or position or spatial) adj5 (information or data or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 18:56
S4	0	(@AD<"20020805" or @RLAD<"20020805") and ((user or client) adj10 (transfer\$4 or submit\$4 or transmit\$4) adj5 (document or page or file) adj10 server) same (server adj10 (provid\$3 or pars\$3 or extract\$3) adj10 (geolocat\$3 or geographic or geographical or address or longitut\$3 or position or spatial) adj5 (information or data or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 10:44
S5	0	(@AD<"20020805" or @RLAD<"20020805") and ((user or client) adj10 (transfer\$4 or submit\$4 or transmit\$4) adj5 (document or page or file) adj10 server) same (server adj10 (provid\$3 or pars\$3 or extract\$3) adj10 (geolocat\$3 or geographic or geographical or address or longitut\$3 or position or spatial) adj5 (information or data or file or pge or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 10:46
S6	940	(@AD<"20020805" or @RLAD<"20020805") and (server with (provid\$3 or respon\$4 or pars\$3 or receiv\$3) with (document or page or file) with (geolocat\$3 or geographic or geographical or address or longitut\$3 or position or spatial) adj5 (information or data or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 10:45

EAST Search History

S7	23	S6 and (server with (provid\$3 or respon\$4 or pars\$3 or receiv\$3) with (document or page or file) with (geolocat\$3 or geographic or geographical or address or longitud\$3 or position or spatial) adj5 (information or data or file) adj10 ("from" or based or accord\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 10:46
S8	4	(@AD<"20020805" or @RLAD<"20020805") and (server adj10 (provid\$3 or pars\$3 or extract\$3) adj10 (geolocat\$3 or geographic or geographical or address or longitud\$3 or position or spatial) adj5 (information or data or file or page or document) adj10 ("from" or based or accord\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 19:04
S10	23	(US-6363392-\$.DID. OR US-6401102-\$.DID. OR US-6275610-\$.DID. OR US-6577714-\$.DID. OR US-6092076-\$.DID. OR US-5930474-\$.DID. OR US-6148289-\$.DID. OR US-6151624-\$.DID. OR US-5991781-\$.DID. OR US-5802361-\$.DID. OR US-5920856-\$.DID. OR WO-01101295-\$.DID. OR US-1882161-\$.DID.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 18:48
S11	0	S10 and google.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 18:48
S12	63	(@AD<"20020805" or @RLAD<"20020805") and google.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 19:53
S13	1	S12 and map.ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 19:54
S14	2	("20020133481").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/24 18:54

EAST Search History

S15	1	(@AD<"20020805" or @RLAD<"20020805") and (provid\$3) with database with indexing with service.ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 21:15
S16	2	("6314421").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/24 18:59
S17	2	("20040010801").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/24 19:04
S18	27	("5107419" "5204958" "5276741" "5276869" "5375235" "5418951" "5469354" "5479654" "5613108" "5659771" "5701459" "5724593" "5745899" "5754938" "5764899" "5991714" "6105023").PN. OR ("6314421").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/24 19:53
S19	26	(@AD<"20020805" or @RLAD<"20020805") and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 20:55
S20	3	S12 and (address or geo\$7 or satellite).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 19:54
S21	18	(@AD<"20020805" or @RLAD<"20020805") and user with image with (retriev\$3 or captur\$3 or extract\$3) adj10 (geographic or geolocat\$3 or spatial or structur\$2) adj5 (information or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 21:17
S22	53	(@AD<"20020805" or @RLAD<"20020805") and (user or customer or input\$4) with image with (retriev\$3 or captur\$3 or extract\$3) adj10 (geographic or geolocat\$3 or spatial or structur\$2) adj5 (information or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 21:26

EAST Search History

S23	2	(@AD<"20020805" or @RLAD<"20020805") and (user or customer or client) near10 (transmit\$4 or submit\$4 or transfer\$4 or send\$3 or supply or supplying or supplied or provided or providing or provide or input\$4) with (video or document or image or file) with (retriev\$3 or captur\$3 or extract\$3) adj10 (geographic or geolocat\$3 or spatial or structur\$2) adj5 (information or data) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 21:30
S24	10	(@AD<"20020805" or @RLAD<"20020805") and (user or customer or client) near10 (transmit\$4 or submit\$4 or transfer\$4 or send\$3 or supply or supplying or supplied or provided or providing or provide or input\$4) with (video or document or image or file) same (retriev\$3 or captur\$3 or extract\$3 or recogniz\$3 or pars\$3) near10 (geographic or geolocat\$3 or spatial or structur\$2) adj5 (information or data) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 22:20
S25	10	(@AD<"20020805" or @RLAD<"20020805") and (user or customer or client) near10 (transmit\$4 or submit\$4 or transfer\$4 or send\$3 or supply or supplying or supplied or provided or providing or provide or input\$4) with (video or document or image or file) same (retriev\$3 or captur\$3 or extract\$3 or recogniz\$3 or pars\$3) near10 (geographic\$2 or geolocat\$3 or spatial or structur\$2) adj5 (information or data) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 21:32
S26	10	(@AD<"20020805" or @RLAD<"20020805") and (user or customer or client) near10 (transmit\$4 or submit\$4 or transfer\$4 or send\$3 or supply or supplying or supplied or provided or providing or provide or input\$4) with (video or document or image or file) same (retriev\$3 or captur\$3 or extract\$3 or recogniz\$3 or pars\$3 or obtain) near10 ((3D or three adj dimensional) adj object or geographic or geolocat\$3 or spatial or structur\$2) adj5 (information or data) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 22:21

EAST Search History

S27	177	(@AD<"20020805" or @RLAD<"20020805") and (709/203). ccls. and (provid\$3 or retriev\$3 or captur\$3 or extract\$3 or recogniz\$3 or pars\$3 or obtain) near10 ((3D or three adj dimensional) adj object or geographic or geolocat\$3 or spatial or structur\$2) adj5 (information or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 22:23
S28	24	(@AD<"20020805" or @RLAD<"20020805") and (709/203). ccls. and (provid\$3 or retriev\$3 or captur\$3 or extract\$3 or recogniz\$3 or pars\$3 or obtain) near10 ((3D or three adj dimensional) adj object or geographic or geolocat\$3 or spatial) adj5 (information or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 22:31
S29	49	(@AD<"20020805" or @RLAD<"20020805") and (709/203). ccls. and (provid\$3 or retriev\$3 or captur\$3 or extract\$3 or recogniz\$3 or pars\$3 or obtain or locat\$3 or identify\$3) near10 ((3D or three adj dimensional) adj object or geographic or geolocat\$3 or spatial) adj5 (information or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 22:25
S30	49	(@AD<"20020805" or @RLAD<"20020805") and (709/203). ccls. and (provid\$3 or retriev\$3 or captur\$3 or extract\$3 or recogniz\$3 or pars\$3 or obtain\$3 or locat\$3 or identify\$3) near10 ((3D or three adj dimensional) adj object or geographic or geolocat\$3 or spatial) adj5 (information or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 22:25
S31	30	(@AD<"20020805" or @RLAD<"20020805") and (709/203). ccls. and (provid\$3 or retriev\$3 or captur\$3 or extract\$3 or recogniz\$3 or pars\$3 or obtain or reconstruct) near10 ((3D or three adj dimensional) adj object or geographic or geolocat\$3 or spatial) adj5 (information or data or structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 22:32
S32	55	(@AD<"20020805" or @RLAD<"20020805") and (709/203). ccls. and (provid\$3 or retriev\$3 or captur\$3 or extract\$3 or recogniz\$3 or pars\$3 or obtain or reconstruct or locat\$3 or identify\$3) near10 ((3D or three adj dimensional) adj object or geographic or geolocat\$3 or spatial) adj5 (information or data or structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 22:32

EAST Search History

S33	14	(@AD<"20020805" or @RLAD<"20020805") and (709/203). ccls. and server with (provid\$3 or retriev\$3 or captur\$3 or extract\$3 or recogniz\$3 or pars\$3 or obtain or reconstruct or locat\$3 or identify\$3) near10 ((3D or three adj dimensional) adj object or geographic or geolocat\$3 or spatial) adj5 (information or data or structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 23:03
S34	2	("20040111669").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/24 23:03